

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	10	("3638156" "6002161" "61694 70" "6291872" "6445271").PN .	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	IS&R	L2	4	(("6236538") or ("6417754")).PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L4	33	("3881244" "4044394" "4149205" "4275428" "4439793" "4477853" "4539615" "4550492" "4743988" "4809103" "4825532" "5029031" "5065271" "5122917" "5146378" "5189580" "5194806" "5241450" "5372967" "5450755" "5534830" "5576680" "5766441" "5781091" "5793272" "5834162" "5933712").PN. OR (("6236538" "6417754").URPN.	US- PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
4	BRS	L5	82	("0770432" "3185947" "3305814" "3614554" "3971126" "4087738" "4435680" "4446429" "4480239" "4504788" "4959631" "5225969" "5363080" "5384274" "5610433" "5761791" "5793272" "5936298" "6031445" "6054329").PN. OR ("3638156" "6002161" "6169470" "6291872" "6445271").URPN.	US- PGPUB; USPAT; USOCR
5	BRS	L6	239939 5	inductor coil winding conductor wire trace	US- PGPUB; USPAT; USOCR
6	BRS	L7	238009 4	coil winding conductor wire trace	US- PGPUB; USPAT; USOCR
7	BRS	L8	83215	inductor	US- PGPUB; USPAT; USOCR
8	BRS	L9	42177	7 same 8	US- PGPUB; USPAT; USOCR
9	BRS	L11	335427 9	taper tapered step steped	US- PGPUB; USPAT; USOCR
10	BRS	L12	19594	9 and 11	US- PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
11	IS&R	L13	2230	(336/225,200).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD_B
12	BRS	L14	813	9 and 13	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD_B
13	BRS	L15	15687	9 and 12	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD_B
14	BRS	L16	449864	(taper tapered step stepped).clm.	US- PGPUB
15	BRS	L17	5591	inductor.clm.	US- PGPUB
16	BRS	L18	96905	(coil winding conductor wire trace).clm.	US- PGPUB
17	BRS	L19	709	16 and 17 and 18	US- PGPUB
18	BRS	L20	317680	(plug layer via).clm.	US- PGPUB
19	BRS	L21	358	19 and 20	US- PGPUB